
Product Data Sheet

SINDER AVIFLU

Cell Suspension Cultivated Avian Influenza Vaccine



SINDER

Another Source Of Reliable Poultry Vaccines And Biologicals



Indication of Use

For prevention of Avian Influenza H5 subtype in Chickens, Ducks, Turkeys and Geese.

Qualitative and Quantitative Composition

Inactivated reassortant avian influenza virus H5N1 subtype, Re-6 strain.

Hemagglutination titer before inactivating: ≥1: 256.

Pharmaceutical form water in oil emulsion vaccine. Target Species:

Chickens - Turkeys - Ducks - Geese.

Posology and Administration

Routes of Administration:

To be injected subcutaneously at the neck area or intramuscularly.

· Recommended dosages:

Broilers: 0.3 -0.5 ml at 5-7 days of age. Layers and Breeders: 0.3 -0.5 ml at 5-7 days of age, booster dose is 0.5 ml to be given 3-4 weeks from the first dose.

Ducks and Geese :0.3-0.5 ml at 5-7 days of age, booster dosage to be given 3-4 weeks from the first dosage at the following dosage 1 ml for ducks and 1.5 ml for Geese.

Turkeys: 0.5 ml at 5-7 days of age, booster dose is 1 ml after 3-4 weeks from first dosage.

Storage Conditions: Store at 2-8 C, Don't freeze. **Shelf Life:** 24 months from Production date.

Withdrawal Time: 28 days.

Adverse effects: Generally, there are not any adverse

effects if product is used properly.

Packing: 250 ml - 500ml Bottles



EMDC



Sole Agent: Egyptian Marketing and Distribution Center 28 Murad Street – Giza. TEL: 0235728355- 35725272

SINDER

Shandong Sinder Animal Vaccine Co., Ltd. (A Sumitomo corporation Joint venture Company) Address: No 335, Songling Road, Laoshan District, Qingdao, Shandong, China. 266061 www.sinder.cn